SERIAL NO. Form PTO 1449 U.S. DEPARTMENT DOCKET NO. OF COMMERCE PATENT AND CRADEMARK 10/660,748 (Modified) 9511-108-27 CONT OFFICE MAR 1 5 2004 APPLICANT Michael I. Bukrinsky, et al. LIST OF REFERENCES CITED BY GROUP ART UNIT FILING DATE APPLICANT September 12, 2003 1614 (Use Several Sheets if Necessary) U.S. PATENT DOCUMENTS FILING DATE IF SUB EXAMINER DOCUMENT DATE NAME CLASS APPROPRIATE INITIAL NUMBER CLASS Bukrinsky, et al. RR AA 6,297,253 10/02/01 514 275 AB 5,840,839 11/24/98 Wang et al. 544 329 AC 6,649,797 11/18/03 Bukrinsky, et al. 564 205 AD 11/12/96 Bukrinsky, et al. 277 KK 5,574,040 514 04/15/97 261 ΑE 5,620,983 Bukrinsky, et al. 514 AF 5,703,086 12/30/97 Bukrinsky, et al. 514 275 AG 03/31/98 514 634 5,733,932 Bukrinsky, et al. 315 RH 544 AΗ 5,808,068 09/15/98 Pan, et al. IRK ΑI 5,840,305 11/24/98 Bukrinsky, et al. 424 152.1 RR Bukrinsky, et al. ΑJ 5,840,893 11/24/98 544 329 AΚ 5,849,793 12/15/98 Pan, et al. 514 456 FOREIGN PATENT DOCUMENTS TRANSLATION DOCUMENT COUNTRY DATE NUMBER YES NO OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) Kalderon, et al., "A Short Amino Acid Sequence Able to Specify Nuclear M Location", Cell, 39, 499-509 (1984 - Part 2). Dingwall, et al., "The Nucleoplasmin Nuclear Location Sequence is Larger and RR BB More Complex than that of SV-40 Large T Antigen", J. Cell Biol., 107, 841-849 (1988). Yeh, et al., "The Arginine-Rich Domain of Hepatitis B Virus Precore and Core RR Proteins Contains a Signal for Nuclear Transport", J. Virol., 64, 12, 6141-6147 (1990). Zacksenhaus, et al., "A Bipartite Nuclear Localization Signal in the RN Retinoblastoma Gene Product and Its Importance for Biological Activity", Mol. Cell. Biol., 13, 8, 4588-4599 (1993).

EXAMINER / Caymuy

DATE CONSIDERED 7-22-04

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO 1	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.			
OF COMMERCE (Modified) PATENT AND TRADEMARK			9511-108-27 CONT	10/660,748			
OFFICE			APPLICANT				
			Michael I. Bukrinsky, et al.				
LIST O		FERENCES CITED BY PPLICANT	FILING DATE	GROUP ART UNIT			
(Use Seve		Sheets if Necessary)	September 12, 2003	1614			
RR	BF	Bukrinsky, et al., "A Protein that Governs (1993).	Nuclear Localization Signal Within HIV-1 Matrix Infection of Non-Dividing Cells", Nature, 365, 666-669				
RR	BG	Goldfarb, et al., "Sy Nature, 322, 641-644	nthetic Peptides as Nuclear Loca (1986).	lization Signals",			
RR	вн	Lanford, "Induction of to the SV40 T Antigen	of Nuclear Transport with a Synth Transport Signal", Cell, 46, 57	etic Peptide Homologous 5-582 (1986).			
RR	ві	Adam, et al., "Identi Location Sequence", N	fication of Specific Binding Pro Vature, 337, 276-279 (1989).	teins for a Nuclear			
RR	ВЈ	Robbins, et al., "Two Interdependent Basic Domains in Nucleoplasmin Nuclear Targeting Sequence: Identification of a Class of Bipartite Nuclear Target Sequence", Cell, 64, 615-623 (1991).					
RR	вк	Görlich, et al., "Two Different Subunits of Importin Cooperate to Recognize Nuclear Localization Signals and Bind Them to the Nuclear Envelope", Curr. Biol., 5, 4, 383-392 (1995).					
RR	BL	Radu, et al., "Identification of a Protein Complex that is Required for Nuclear Protein Import and Mediates Docking of Import Substrate to Distinct Nucleoporines", Proc. Natl. Acad. Sci., 92, 1769-1773 (1995).					
RR	ВМ	Adam, et al., "Cytoslic Proteins that Specifically Bins Nuclear Location Signals are Receptors for Nuclear Import", Cell, 66, 837-847 (1992).					
RR	BN	Rexach, et al., "Protein Import Into Nuclei: Association and Dissociation Reactions Involving Transport Substrate, Transport Factors, and Nucleoporins", Cell, 83, 683-692 (1995).					
RR	во	Moore, et al., "Purification of a Ran-Interacting Protein that is Required for Protein Import into the Nucleus", Proc. Natl. Acad. Sci., 91, 10212-10216 (1994).					
RR	BP	Nerhbass, et al., "Role of the Nuclear Transport Factor p10 in Nuclear Import", Science, 272, 120-122 (1996).					
PR	BQ	Dabauvalle, et al., "Inhibition of Nuclear Accumulation of Karyophilic Proteins in Living Cells by Microinjection of the Lectin Wheat Germ Agglutinin", Exp. Cell Res., 174, 291-296 (1988).					
PR	BR	Sterne-Marr, et al., "O-Linked Glycoproteins of the Nuclear Pore Complex Interact with a Cytosolic Factor Required for Nuclear Protein Import", J. Cell Biol, 116, 2, 271-280 (1992).					

EXAMINER	R	(Cumy	DATE CONSIDERED 7-27-04

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO	L449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.			
OF COMMERCE (Modified) PATENT AND TRADEMARK			9511-108-27 CONT	10/660,748			
	C	OFFICE	APPLICANT				
			Michael I. Bukrinsky, et al.				
LIST C		FERENCES CITED BY	FILING DATE	GROUP ART UNIT			
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614			
RR	BS	Analogues of GTP and	Thibition of Nuclear Protein Import by Nonhydrolyzable Identification of the Small GTPase Ran/TC4 as an Pactor", J. Cell Biol., 123, 6, Part 2, 1649-1656				
RR	BT	Weinberg, et al., "Pr Infection of Nonproli (1991).	oductive Human Immunodeficiency ferating Human Monocytes", J. Ex	Virus Type 1 (HIV-1) p. Med., 174, 1477-1482			
RR	BU	Humphries, et al., "R Transcription of Rous	equirement for Cell Division for Sarcoma Virus RNA", J. Virol.,	Initiation of 14, 3, 531-546 (1974).			
RK	BV	Stevenson, et al., "HIV-1 Replication is Controlled at the Level of T Cell Activation and Proviral Integration", EMBO J., 9, 5, 1551-1560 (1990).					
· RR	BW	Bukrinsky, et al., "Quiescent T Lymphocytes as an Inducible Virus Reservoir in HIV-1 Infection", Science, 254, 423, Science (1991).					
RR	вх	Zack, et al., "Incompletely Reverse-Transcribed Human Immunodeficiency Virus Type 1 Genomes in Quiescent Cells Can Function as Intermediates in the Retroviral Life Cycle", J. Virol., 66, 3, 1717-1725 (1992).					
RR	ву	Schnittman, et al., "The Reservoir for HIV-1 in Human Peripheral Blood is a T Cell That Maintains Express of CD4", Science, 245, 305-308 (1989).					
RR	BZ	Brinchmann, et al., "Few Infected CD4° T Cells but a High Proportion of Replication-Competent Provirus Copies in Asymptomatic Human Immunodeficiency Virus Type 1 Infection", J. Virol., 65, 4, 2019-2023 (1991).					
RR	CA	Chapel, et al., "Differential Human Immunodeficiency Virus Expression in CD4* Cloned Lymphoscytes: From Viral Latency to Replication", J. Virol., 66, 6, 3966-3970 (1992).					
RR	СВ	Keonig, et al., "Detection of AIDS Virus in Marcrophages in Brain Tissue from AIDS Patients with Encephalopathy", Science, 233, 1089-1093 (1986).					
RR	cc	Wiley, et al., "Cellular Localization of Human Immunodeficiency Virus Infection Within the Brains of Acquired Immune Deficiency Syndrome Patients", Proc. Natl. Acad. Sci., 83, 7089-7093 (1986).					
RR	CD	Price, et al., "The Brain in AIDS: Central Nervous System HIV-1 Infection and AIDS Dementia Complex", Science, 239, 586-592 (1988).					
RR	CE	Giulian, et al., "Secretion of Neurotoxins by Mononuclear Phagocytes Infected with HIV-1", Science, 250, 1593-1596 (1990).					
RR	CF	Fauci, et al., "Immunopathogenic Mechanisms in Human Immunodeficiency Virus (HIV) Infection", Ann. Int. Med., 114, 8, 678-693 (1991).					

EXAMINER	7	1 (aynyl	DATE CONSIDERED 7-22-04
		· · · · · · · · · · · · · · · · · · ·	whether or not citation is in conformance
with MPEP 609	draw li	ne through citation if not	in conformance and not considered.

Include copy of this form with next communication to Applicant.

			DOGUM NO	SERIAL NO			
Form PTO 1	.449	U.S. DEPARTMENT OF COMMERCE	DOCKET NO.	SERIAL NO.			
(Modified)		ATENT AND TRADEMARK	9511-108-27 CONT	10/660,748			
	J		APPLICANT				
			Michael I. Bukrinsky, et al.				
LIST O		FERENCES CITED BY	FILING DATE	GROUP ART UNIT			
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614			
	CG	Weiss, "How Does HIV	Cause AIDS?", Science, 260, 1273	-1279 (1993).			
M	СН	Pantaleo, et al., "HI Tissue During the Cli (1993).	V Infection is Active and Progre nically Latent Stage of Disease"	essive in Lymphoid , Nature, 362, 355-358			
RR	CI	Zack, "HIV-1 Entry In Reveals a Labile, Lat	nto Quiescent Primary Lymphocytes cent Viral Structure", Cell, 61,	: Molecular Analysis 213-222 (1990).			
RR	CJ	Immunodeficiency Viru	Importance of nef in the Induction of Human us Type 1 Replication from Primary Quiescent CD4 . Med., 179, 115-113 (1994).				
RR	СК	Miller, et al., "The Human Immunodeficiency Virus-1 nef Gene Product: A Positive Factor for Viral Infection and Replication in Primary Lymphocytes and Macrophages", J. Exp. Med., 101-113 (1994).					
RR	CL	von Schwedler, et al., "The Nuclear Localization Signal of the Matrix Protein of Human Immunodeficiency Virus Type 1 Allows the Establishment of Infection in Macrophages and Quiescent T Lymphocytes", Proc. Natl. Acad. Sci., 91, 6992-6996 (1994).					
RR	СМ	Brown, et al., "Correct Integration of Retroviral DNA in Vitro", Cell, 49, 347-356 (1987).					
PR	CN	Emerman, et al., "HIV-1 Infection of Non-Dividing Cells", Nature, 369, 107-108 (1994).					
RR	со	Influences Nuclear Le	"The Vpr Protein of Human Immunodeficiency Virus Type 1 ocalization of Viral Nucleic Acids in Nondividing Host Acad. Sci., 91, 7311-7315 (1994).				
RK	СР	Type 1 Preintegration	duced Nuclear Import of Human Immunodeficiency Virus n Complexes in the Presence of a Prototypic Nuclear . Virol. 68, 3, 2021-2025 (1994).				
RR	CQ	"Malaria", Tropical Diseases, Progress in Research 1989-1990, World Health Organization, pp. 29-40 (1991). (page number incorrectly cited as 15-27 in specification at page 8, line 4)					
RR	CR	Nosten, et al., "New Antimalarials, A Risk-Benefit Analysis", Drug Safety, 12, 4, 264-273 (1995).					
RR	cs	Rabjohn, "Selenium Dioxide Oxidation", Org. React., Chapter 4, 261-415 (1976).					
RR	CT	March, Advanced Organic Chemistry, 4th ed., Wiley Interscience, New York, 491-493 (1992).					

				//	
EXAMINER	$ \top \!\!\! /$		7	(aunul)	DATE CONSIDERED 7-22-04
*EXAMINER: Initial	/1f	re	fe	rence is considered,	whether or not citation is in conformance

with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

Form PTO 1	1449	U.S. DEPARTMENT	DOCKET NO.	SERIAL NO.			
(Modified)		OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748			
,		OFFICE	APPLICANT	1			
			Michael I. Bukrinsky, et al.	T			
LIST C		FERENCES CITED BY PPLICANT	FILING DATE	GROUP ART UNIT			
(Use Seve		Sheets if Necessary)	September 12, 2003 1614				
RR	CU		l Complexes of 1,1,-{1,3-Phenyle Chim. Acta, 44, L105-L106 (1980)				
PR	cv	Discovery. 2. Combina	ications of Combinatorial Techno torial Organic Synthesis, Librar ", J. Med. Chem., 37, 10, 1385-1	y Screening Strategies,			
RR	CM	Chen, et al., "'Analo Validation of Combina Chem. Soc., 116, 2661	gous' Organic Synthesis of Small torial Chemistry in Small-Molecu 2662 (1994).	-Compound Libraries: le Synthesis", J. Amer.			
RR	СХ	Cho, et al., "An Unna	tural Biopolymer", Science, 261,	1303-1305 (1993).			
RR	CY	Bukrinsky, et al., "Active Nuclear Import of Human Immunodeficiency Virus Type 1 Preintegration Complexes", Proc. Natl. Acad. Sci., 89, 6580-6584 (1992).					
RR	CZ	Desjardins, et al., "Quantitative Assessment of Antimalarial Activity In Vitro by a Semiautmated Microdilution Technique", Antimicrob. Ag. Chemother., 16, 6, 710-718 (1979).					
1219	DA	Ager, Jr., Handbook of Experimental Pharmacology, Antimalarial Drugs I, Peters, et al., eds., Chapter 8, Volume 68, Part 1, 225-264, Springer-Verlag, Berlin (1984).					
RR	DB	Bukrinsky, et al., "Regulation of Nitric Oxide Synthase Activity in Human Immunodeficiency Virus Type 1 (HIV-1)-infected Monocytes: Implications for HIV-Associated Neurological Disease", J. Exp. Med., 181, 735-745 (1995).					
RR	DC	Ulrich, et al., "Trypanocidal 1,3-Arylene Diketone Bis(guanylhydrazone)s. Structure-Activity Relationships Among Substituted and Heterocyclic Analogues", J. Med. Chem., 27, 35-40 (1983).					
RR	DD	McKinnon, et al., "Studies on Some 2,1-Benzisoxazole Derivatives", Can. J. Chem., 49, 2019-2022 (1971).					
RR	DE	Gartner, et al., "The Role of Mononuclear Phagocytes in HTLV-III/LAV Infection", Science, 233, 215-219 (1986).					
RR	DF	Nuovo, et al., "Rapid In Situ Detection of PCR-Amplified HIV-1 DNA", Diagn. Mol. Pathol., 1, 2, 98-102 (1992).					
RR	DG	Chou, "Derivation and Properties of Michaelis-Menten Type and Hill Type Equations for Reference Ligands", J. Theor. Biol., 59, 253-276 (1976).					
RN	DH	Berger, et al., "Primary and Secondary Metabolism of Pentamidine by Rats", Antimicrob. Ag. Chemother., 36, 9, 1825-1831 (1992).					

EXAMINER: Initial if reference is considered, whether or not citation is in conformance

with MPEP 609; draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to Applicant.

Form PTO	L449		DOCKET NO.	SERIAL NO.		
(Modified)		OF COMMERCE PATENT AND TRADEMARK	9511-108-27 CONT	10/660,748		
	C	OFFICE	APPLICANT .			
1			Michael I. Bukrinsky, et al.			
LIST C	F RE	FERENCES CITED BY	FILING DATE	GROUP ART UNIT		
(Use Seve		PPLICANT Sheets if Necessary)	September 12, 2003	1614		
LSK	DI	Westervelt, et al., "Macrophage Tropism Determinants of Human Immunodeficiency Virus Type 1 In Vivo", J. of Virol., 66, 4, 2577-2582 (1992).				
RR	DJ	Haffar, et al., "Human Immunodeficiency Virus-Like, Nonreplicating, gag-env Particles Assemble in a Recombinant Vaccinia Virus Expression System", J. Virol., 64, 6, 2653-2659 (1990).				
RR	DK	Chandraratna et al.,	Chemical Abstracts, Vol. 119:270	992, 1993.		
RR	DL	Porter et al., Chemical Abstracts, Vol. 117:90296, 1992.				
RR	DM	Reisdorff et al., Chemical Abstracts, Vol. 87:147051, 1977.				
RR	DN	Barnish et al., Chemical Abstracts, Vol. 87:5796, 1977.				

EXAMINER

DATE CONSIDERED 7-24-07

*EXAMINER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.